

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) An input buffered switch using pipelined simple matching, comprising:

a plurality of input means, each having a plurality of Virtual Output Queues (VOQs) for sending a request signal in every time slot when each VOQ has at least one cell, for outputting the cell according to a grant signal transmitted to each VOQ;

a scheduling means for executing a contention process according to the request signals from each VOQ of the plurality of input means, sending contention results to the plurality of input means and sending switch operation information; and

a switching means for outputting the cell received from the plurality of input means responsive to the switch operation information received from the scheduling means,

wherein the scheduling means includes a plurality of sub-scheduling means for i) executing a contention process for a plurality of time slots according to the request signals from each VOQ of the plurality of the input means such that one of said sub-scheduler means begins executing the contention process and a second one of said sub-scheduler means finishes executing the contention process, and ii) producing contention results based on only the request signals received at initiation of the contention process,

wherein each VOQ sends ~~a plurality of request signals~~ the request signal for ~~outputting one cell to each of~~ outputting one cell to each of the plurality of sub-scheduling means in every time slot when the VOQ has the cell, and

wherein the scheduling means further includes a multiplexing means for multiplexing a contention result of each sub-scheduling means to the plurality of input means.

2. (Cancelled)

3. (Previously Presented) The apparatus as recited in claim 1, wherein the each sub-scheduling means gives priorities to each of the input means in case of the contention process to the same output.

4. (Original) The apparatus as recited in claim 1, wherein each VOQ sends the request signal at every time slot by sending the number of cells waiting in the VOQ to the scheduling means.

5. (Original) The apparatus as recited in claim 4, wherein the scheduling means includes:

a plurality of sub-scheduling means for executing the contention process for a plurality of time slots according to the request signals from each VOQ of the plurality of the input means in the manner that one sub-scheduler begins a contention process and another sub-scheduler finishes a contention process; and

a multiplexing means for multiplexing a contention result of each sub-scheduling means to the plurality of the input means.

6. (Original) The apparatus as recited in claim 5, wherein the each sub-scheduling means gives a priority to the VOQ that has the largest number of awaiting cells in the VOQ in case of the contention process to the same output.

7. (Original) The apparatus as recited in claim 5, wherein the each sub-scheduling means gives a priority to each VOQ in the contention process to the same output and gives a priority to a VOQ that has the largest number of awaiting cells in the VOQ when the VOQ having the priority does not send the request signal.

8. (Currently Amended) A contention method using pipelined simple matching in an input buffered switch, comprising the steps of:

a) at each VOQ that has at least one awaiting cell, sending a request signal to a sub-scheduling means that begins a contention process at every time slot;

b) at the sub-scheduling means, executing a contention process for a plurality of time slots according to the request signals from each VOQ that has at least one awaiting cell;

c) at the sub-scheduling means that finishes the contention process, sending a contention result to each input means at every time slot; and

d) at the transfer-granted VOQ, transferring the cell to the switching means according to the contention result,

wherein the contention results are produced based on only the request signals received at initiation of the contention process in the sub-scheduling means, and

wherein each VOQ sends the request signal for outputting a plurality of request signals of one cell to each of a plurality of the sub-scheduling means in every time slot when the VOQ has the cell.

9. (Previously Presented) The method as recited in claim 8, wherein each of the plurality of sub-scheduling means gives priority to each input means in the contention process to a same output.

10. (Previously Presented) The method as recited in claim 8, wherein each VOQ sends the request signal at every time slot by sending the number of cells waiting in the VOQ to a scheduling means.

11. (Previously Presented) The method as recited in claim 10, wherein each of the plurality sub-scheduling means gives a priority to a VOQ that has the largest number of awaiting cells in the VOQ in the contention process to the same output.

12. (Previously Presented) The method as recited in claim 10, wherein each of the plurality of sub-scheduling means gives a priority to each VOQ in the contention process to the same output and gives a priority to a VOQ that has the largest number of awaiting cells in the VOQ when the VOQ that has the priority does not send the request signal.